

# FIFRA Section 24(c) Special Local Need



FOR DISTRIBUTION AND USE ONLY IN THE STATE OF TEXAS



FOR USE ON GUAYULE AGAINST EARLY SEASON INSECTS

(EPA Reg. No. 59639-151)

EPA SLN No. TX-250001

**This label for NipsIt INSIDE® Insecticide expires and must not be distributed or used in accordance with this SLN registration after October 1, 2029.**

Active Ingredient	By Wt
Clothianidin ((E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine) .....	47.8%
Other Ingredients.....	<u>52.2%</u>
Total.....	100.0%

NipsIt INSIDE Insecticide contains 5 lb clothianidin per gallon.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Follow all applicable directions, restrictions, worker protection standard requirements and precautions on the EPA registered label. This labeling must be in the possession of the user at the time of application.

## ENVIRONMENTAL HAZARDS

This product is toxic to birds, mammals and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply where runoff is likely to occur. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Apply this product only as specified on label.

**Treated seed exposed on soil surface maybe hazardous to birds and mammals. Cover or collect spilled seed.**

This compound is highly toxic to bees exposed directly (contact). Ensure that planting equipment is functioning properly in accordance with manufacturing recommendations to minimize seed coat abrasion during planting to reduce dust which can drift to blooming crops or weeds.

APPLICATION DIRECTIONS		
Crop	Pest Controlled	Application Rate
Guayule	Early Season Insects including Pale-Striped Flea Beetle	0.2 to 0.4 mg.ai/seed (0.01125 to 0.0225 fl oz per 1000 seed)

**Restrictions:**

- Regardless of seeding rate, do not apply more than 0.2 lb active ingredient clothianidin per acre per year.
- Do not apply the product on the raw seeds. Incorporate this product into pelleting process.

**SEED BAG TAG**

The Federal Seed Act requires that the container of seed treated with NipsIt INSIDE Insecticide must be labeled with the following information:

- This seed has been treated with NipsIt INSIDE Insecticide which contains clothianidin.
- Do not use treated seed for feed, food, or oil processing.

In addition, the U.S. Environmental Protection Agency requires the following statements on the container of seed treated with NipsIt INSIDE Insecticide:

- Regardless of application method, do not apply more 0.2 lb active ingredient clothianidin/A/year.
- Store away from feeds and other foodstuffs.
- Excess treated seed may be used for ethanol production only if (1) by-products are not used for livestock feed and (2) no measurable residues of pesticide remain in ethanol by-products that are used in agronomic practice.
- Wear long sleeved shirt, long pants and chemical resistant gloves when handling treated seed.
- Dispose of all excess treated seed. Left over treated seed may be double-sown around the headland or buried away from water sources in accordance with local requirements. Do not contaminate water bodies when disposing of planting equipment washwaters.
- Dispose of seed packaging in accordance with local requirements.
- This compound is highly toxic to bees exposed directly (contact). Ensure that planting equipment is functioning properly in accordance with manufacturing recommendations to minimize seed coat abrasion during planting to reduce dust which can drift to blooming crops or weeds.
- Do not re-use bags from treated seed to handle food or feed products.
- The compound is toxic to birds and mammals. Treated seeds exposed on soil surface may be hazardous to birds and mammals. Cover or collect treated seeds spilled during loading.
- Areas planted with treated seed may be replanted immediately with bulb vegetables, canola, cereal grains, cotton, fruiting vegetables (including cucurbits), leafy vegetables (including brassica vegetables), rapeseed, root and tuber vegetables, sorghum and soybean. These areas may also be replanted after 30 days with dry beans, grasses and non-grass animal feeds. These areas may also be replanted after 8 months with sugarcane. Do not plant any other crop in the treated area for at least one year after these treated seeds are planted.

**Additional Restriction to Be Added to the Seed Bag Tag:**

- Do not cut guayule for hay or forage.
- Do not graze treated guayule crop.
- Treated guayule seed is not to be used for animal or human consumption.
- Grazing and forage use restrictions are only lifted after the seed crop is harvested, crop residue removed from the field, and regrowth initiated.

**Note to the Guayule Producers:**

- 1) Producers of guayule seed who use this product, or cause the product to be used on fields they operate, are required to inform, in writing, conditioners receiving seed produced on fields treated with this product. A copy of the labeling is required to be provided to the conditioner by the producer.

- 2) For purposes of pesticide registration in the State of, all guayule or guayule seed crop fields are considered non-food and non-feed sites of pesticide use provided that the following conditions are met.
  - a) All seed screenings shall be disposed of in such a way that they cannot be distributed or used for food or feed. The seed conditioner shall keep records of screening disposal for three years from the date of disposal and shall furnish the records to the State forthwith upon request. Disposal records shall consist of documentation from a controlled dumpsite, incinerator or other equivalent disposal site and shall show the amount of material disposed of, its grower and the date of disposal.
  - b) No portion of the seed guayule plant may be used or distributed for food or feed purposes.
  - c) All guayule seed grown or conditioned as a non-food or non-feed site in the State of Texas shall bear a tag or distinctively show on the container label the statement "Not for Human or Animal Consumption".
  - d) No guayule seed grown or conditioned as a non-food or non-feed site in the State of Texas may be distributed for human consumption or animal feed.
- 3) A violation of any condition listed in subsection (1) above is declared a violation of the use directions contained in this label and is prohibited.

**Please contact Valent U.S.A. LLC at 800-6-VALENT (682-5368) if you have questions regarding use of this product.**

FIFRA § 24(c) Registrant: Valent U.S.A. LLC  
P.O. Box 5075  
San Ramon, CA 94583

NipsIt INSIDE is a registered trademark of Valent U.S.A. LLC.